

| | Type | Hits | Search Text |
|----|------|-------|--|
| 1 | BRS | 151 | (print\$4 adj driver) with (PDL (page adj descript\$4)) |
| 2 | BRS | 1475 | (interpret\$4 translat\$4 conver\$6) with (PDL (page adj descript\$4)) |
| 3 | BRS | 49 | (spooler) with (PDL (page adj descript\$4)) |
| 4 | BRS | 365 | (spooler) with (printer) |
| 5 | BRS | 251 | (spooler) near5 (printer) |
| 6 | BRS | 19 | ((spooler) with (printer)) with ((interpret\$4 translat\$4 conver\$6) with (PDL (page adj descript\$4))) |
| 7 | BRS | 365 | spooler with printer |
| 8 | BRS | 19 | (spooler with printer) with ((interpret\$4 translat\$4 conver\$6) with (PDL (page adj descript\$4))) |
| 9 | BRS | 0 | 6459497.pn. and pdl |
| 10 | BRS | 0 | 6459497.pn. and (print\$4 adj driver) |
| 11 | BRS | 3 | archiv\$4 near5 (print adj job) |
| 12 | BRS | 1 | archiv\$4 near5 stor\$4 near5 (print adj job) |
| 13 | BRS | 0 | 6459497.pn. and (print\$4 adj job) |
| 14 | BRS | 2 | 6459497.pn. |
| 15 | BRS | 297 | spool\$4 with (print adj job) |
| 16 | BRS | 2132 | spool\$4 with printer |
| 17 | BRS | 175 | (spool\$4 with (print adj job)) with (spool\$4 with printer) |
| 18 | BRS | 2 | 5982994.pn. |
| 19 | BRS | 10821 | (tran).xa. |
| 20 | BRS | 0 | (douglas adj tran).xa. |
| 21 | BRS | 4954 | (douglas).xa. |
| 22 | BRS | 75 | ((tran).xa.) and ((douglas).xa.) |
| 23 | BRS | 1292 | (print\$4 adj mode) with print\$4 with (stor\$4 sav\$4) |
| 24 | BRS | 64 | Pdl with (bitmap (bit adj map\$4)) with (stor\$4 sav\$4) |

| | Type | Hits | Search Text |
|----|------|-------|---|
| 25 | BRS | 0 | ((((tran).xa.) and ((douglas).xa.)) and (Pdl with (bitmap (bit adj map\$4)) with (stor\$4 sav\$4)) |
| 26 | BRS | 0 | ((print\$4 adj mode) with print\$4 with (stor\$4 sav\$4)) same (Pdl with (bitmap (bit adj map\$4)) with (stor\$4 sav\$4)) |
| 27 | BRS | 2 | ((print\$4 adj mode) with print\$4 with (stor\$4 sav\$4)) and (Pdl with (bitmap (bit adj map\$4)) with (stor\$4 sav\$4)) |
| 28 | BRS | 270 | Pdl with (bitmap (bit adj map\$4)) |
| 29 | BRS | 4 | ((((tran).xa.) and ((douglas).xa.)) and (Pdl with (bitmap (bit adj map\$4)))) |
| 30 | BRS | 17 | printer with stor\$4 with (Pdl with (bitmap (bit adj map\$4))) |
| 31 | BRS | 1 | 5982994.pn. and (job with table) |
| 32 | BRS | 13344 | print\$4 with (sav\$4 stor\$4) with (request\$4 mode command instruct\$4) |
| 33 | BRS | 176 | (print\$4 adj (mode command instruct\$4 parameter)) with ((sav\$4 stor\$4) adj (mode command instruct\$4 parameter)) |
| 34 | BRS | 65 | (stor\$4 sav\$4) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4)) |
| 35 | BRS | 9 | (reprint\$4 later) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4)) |
| 36 | BRS | 0 | (archiv\$4) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4)) |
| 37 | BRS | 6 | ((stor\$4 sav\$4) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4))) and ((reprint\$4 later) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4))) |
| 38 | BRS | 0 | ((reprint\$4 later) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4))) not "9" |
| 39 | BRS | 3 | ((reprint\$4 later) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4))) not (((stor\$4 sav\$4) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4))) and ((reprint\$4 later) with (pdl (page adj decrypt\$4)) with (bitmap\$4 (bit adj map\$4)))) |

| | Type | Hits | Search Text |
|----|------|------|---|
| 40 | BRS | 1219 | printer with (interpret\$4 translat\$4 conver\$4) with (bitmap\$4 raster\$4 (bit adj map\$4)) |
| 41 | BRS | 499 | printer with (interpret\$4 translat\$4 conver\$4) with (pdl (page adj descript\$4)) |
| 42 | BRS | 210 | (print\$4 adj driver) with (print\$4 adj job) |
| 43 | BRS | 189 | (print\$4 adj driver) with (pdl (page adj description) postscript pcl) |
| 44 | BRS | 12 | ((print\$4 adj driver) with (print\$4 adj job)) same ((print\$4 adj driver) with (pdl (page adj description) postscript pcl)) |
| 45 | BRS | 160 | (print\$4 adj driver) with (spool\$4) |
| 46 | BRS | 11 | ((print\$4 adj driver) with (pdl (page adj description) postscript pcl)) with spool\$4 |
| 47 | BRS | 489 | (stor\$4 sav\$4) with ((print adj (job data)) pdl bitmap\$4 (bit adj map\$4) raster\$4) with (reprint\$4 later) |
| 48 | BRS | 589 | (stor\$4 sav\$4) with ((print\$4 adj (job data)) pdl bitmap\$4 (bit adj map\$4) raster\$4) with (reprint\$4 later) |
| 49 | BRS | 181 | ((stor\$4 sav\$4) with ((print\$4 adj (job data)) pdl bitmap\$4 (bit adj map\$4) raster\$4) with (reprint\$4 later)) same printer |
| 50 | BRS | 380 | ((stor\$4 sav\$4) near5 ((print\$4 adj (job data)) pdl bitmap\$4 (bit adj map\$4) raster\$4)) with (reprint\$4 later) |
| 51 | BRS | 132 | ((stor\$4 sav\$4) near5 ((print\$4 adj (job data)) pdl bitmap\$4 (bit adj map\$4) raster\$4)) with (reprint\$4 later)) same printer |
| 52 | BRS | 9155 | reprint\$4 |
| 53 | BRS | 464 | reprint\$4 with stor\$4 |
| 54 | BRS | 9 | (list director\$4) with (reprint\$4 with stor\$4) |
| 55 | BRS | 9370 | raster\$4 with process\$4 |
| 56 | BRS | 2 | 6337747.pn. |
| 57 | BRS | 4 | ("6089765" "6459497").pn. |

| | Type | Hits | Search Text |
|----|------|------|--|
| 58 | BRS | 49 | reprint\$4 with (instruct\$4 command) with (host computer workstation terminal server) |